

Product Mark


Model: kehys modled 24 3000k
Temperature: 20□
Tester: admin

Manufacture: LedStore.fi
Humidity: 65%
Test Date: 2018-01-02


Parameter

Name	Value	Name	Value	Name	Value
E(lx)	1323.68	Ra	97.3	Bink Freq(Hz)	-
CCT(K)	2957	S/P	1.4	Fluctuate Depth	-
Duv	-0.0004	X	2107.8	Bink Percent	-
CIE(x,y)	0.4394, 0.4040	Y	1938.0	Bink Exponent	-
CIE(u,v)	0.2522, 0.3478	Z	750.7	PAR(W/m2)	-
Dominant Wave(nm)	583.1	Rf	-	PPFD(umol/m2/s)	-
Purity	53.2%	Rg	-	YFPD(umol/m2/s)	-
Color Ratio(RGB)	25.4% 72.9% 1.6%	Ebh(mW/m2)	-	Ep(W/m2)	-
Peak Wave(nm)	641.8			Eb(W/m2)	-
Half Width(nm)	169.9			Ey(W/m2)	-
Candle E(fc)	123.02			Er(W/m2)	-
Ee(W/m2)	5.154			Erb Ratio	-



Spectrogram



CIE1931



CRI



Instrument Status

Type: LMS-6000
VDark: 2262

Integral Time: 120.000ms
Scan Range: 380-780nm

VPeak: 54429
SN: 201710272

Remark: